

PharmLabs San Diego Certificate of Analysis

Sample Mushroom Magic Blend - Cinnamon French Toast



|                                 |  |                       |  |                        |  |
|---------------------------------|--|-----------------------|--|------------------------|--|
| Sample ID SD250307-161 (108928) |  |                       |  | Matrix Edible          |  |
| Tested for Polk A Dot           |  |                       |  |                        |  |
| Sampled -                       |  | Received Mar 07, 2025 |  | Reported Mar 11, 2025  |  |
| Analyses executed 4AD, PSY      |  | Unit Mass (g) 49.761  |  | Num. of Servings 1     |  |
|                                 |  |                       |  | Serving Size (g) 49.76 |  |

4AD - 4AD Tryptamines

Analyzed Mar 10, 2025 | Instrument HPLC VWD | Method SOP-4AD  
The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte                      | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Serving | Result mg/Unit | Sample photography |
|------------------------------|---------|---------|----------|-------------|-------------------|----------------|--------------------|
| Mescaline (MESC)             | 0.19    | 0.584   | ND       | ND          | ND                | ND             |                    |
| N,N-Dimethyltryptamine (DMT) | 0.015   | 0.048   | ND       | ND          | ND                | ND             |                    |
| Psilocetin (PSLA)            | 0.015   | 0.044   | ND       | ND          | ND                | ND             |                    |
| 4-Hydroxy-DET (4HDE)         | 0.014   | 0.042   | ND       | ND          | ND                | ND             |                    |
| 4-Acetoxy-MET (4AME)         | 0.018   | 0.053   | ND       | ND          | ND                | ND             |                    |
| 4-Acetoxy-DET (4ADE)         | 0.004   | 0.011   | ND       | ND          | ND                | ND             |                    |
| 4-Bromo-DMP (2C-B)           | 0.19    | 0.576   | ND       | ND          | ND                | ND             |                    |

PSY - Psilocybin & Psilocin

Analyzed Mar 10, 2025 | Instrument HPLC VWD | Method SOP-PSY  
The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.806% at the 95% Confidence Level

| Analyte           | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|-------------------|---------|---------|----------|-------------|-------------------|----------------|
| Psilocybin (PSCY) | 0.007   | 0.019   | ND       | ND          | ND                | ND             |
| Psilocin (PSCI)   | 0.003   | 0.009   | ND       | ND          | ND                | ND             |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Tue, 11 Mar 2025 15:20:19 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.